


1. PRODUCT & COMPANY IDENTIFICATION

1.1	Product Name:	BRAZILIAN BLOWOUT® BBX PROFESSIONAL EXPRESS SOLUTION
1.2	Chemical Name:	NA
1.3	Synonyms:	NA
1.4	Trade Names:	Brazilian Blowout® BBX Professional Express Solution
1.5	Product Uses & Restrictions:	Professional Use Only
1.6	Distributor's Name:	Brazilian Professionals, LLC.
1.7	Distributor's Address:	28001 Dorothy Drive, Agoura Hills, CA 91301 USA
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 10069)
1.9	Business Phone / Fax:	+1 (877) 779-7706 / +1 (818) 623-2309

2. HAZARDS IDENTIFICATION

2.1	Hazard Identification:	<p>This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). DANGER! HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE DAMAGE. MAY CAUSE RESPIRATORY IRRITATION. SUSPECTED OF CAUSING CANCER. Classification: Acute Tox. Oral 4; Skin Irrit. 1B; Skin Sens. 1; Eye Dam. 1; STOT SE 3; Carc. 2</p>	
2.2	Label Elements:	<p>Hazard Statements (H): H302 – Harmful if swallowed. H315 – Causes skin irritation. H317 – May cause an allergic skin reaction. H318 – Causes serious eye damage. H335 – May cause respiratory irritation. H351 – Suspected of causing cancer. Precautionary Statements (P): P201 – Obtain special instructions before use. P202 – Do not handle until all safety precautions have been read and understood. P261 – Avoid breathing fume/gas/mist/vapor. P264 – Wash with soap and water thoroughly after handling. P270 – Do not eat, drink or smoke when using this product. P271 – Use only in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/protective clothing/eye protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P330 - Rinse mouth. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash before reuse. P321 – Specific treatment see this container label or SDS. P310 - Immediately call a POISON CENTER or doctor/physician. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P308+P313 - IF exposed or concerned: Get medical advice/attention. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 – Store locked up. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). For external use only. Use only as directed.</p>	
2.3	Other Warnings:	<p>KEEP OUT OF REACH OF CHILDREN. For professional use only. If medical advice is needed, have product container or label at hand.</p>	

3. COMPOSITION & INGREDIENT INFORMATION

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³)									OTHER
					ACGIH		NOHSC			OSHA				
					TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH		
WATER (AQUA/EAU)	7732-18-5	ZC0110000	231-791-2	60-100	NA	NA	NF	NF	NF	NA	NA	NA		
* METHYLENE GLYCOL	463-57-0	TY2000000	207-339-5	3-7	NA	0.3	1.2	2	2.5	5	2	20	FORMALDEHYDE	
	Acute Tox. Oral 4; Skin Irrit. 1B; Skin Sens. 1; Eye Dam. 1; Carc. 2; H302, H315, H317, H318, H335, H351													
COCAMIDOPROPYL BETAINE	61789-40-0	NA	263-058-8	1-3	NA	NA	NF	NF	NF	NA	NA	NA		
ETHANOL (SD ALCOHOL 40B)	64-17-5	KQ6300000	200-578-6	1-2	1000	3000	1000	1800	NF	1000	1900	3300		
	Flam.Liq.2; H225													
TRIMETHYLSILOXY-AMODIMETHICONE	NA	NA	NA	0.5-2	NA	NA	NF	NF	NF	NA	NA	NA		
FRAGRANCE (PARFUM)	NA	NA	NA	0.1-1	NA	NA	NF	NF	NF	NA	NA	NA		
CINNAMAL	104-55-2	NA	203-13-9	< 0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
HEXYL CINNAMAL	101-86-0	GD6560000	202-983-3	< 0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
	Skin Sens. 1B; Aquatic Chronic 2; H317, H411													
BUTYLPHENYL METHYLPROPIONAL	80-54-6	MW4895000	201-289-8	< 0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
	Acute Tox. Oral 4; Skin Irrit. 2; Aquatic acute 2; Aquatic Chronic 2; H302, H315, H319													
COUMARIN	91-64-5	NA	202-086-7	< 0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
	Acute Tox. Oral 3; Aquatic Acute 3; H301, H402													

3. COMPOSITION & INGREDIENT INFORMATION – cont'd

CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³)									OTHER
					ACGIH		NOHSC			OSHA				
					ppm		ppm			ppm				
					TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH		
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	31906-04-4	NA	250-863-4	< 0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
Skins Sens. 1, Eye Irrit. 2, Aquatic Chronic 3; H317, H319, H412														
ALPHA-ISOMETHYL IONONE	127-51-5	NA	204-846-3	< 0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
Skins Sens. 1, Eye Irrit. 2, Aquatic Chronic 3; H317, H319, H412														
AMYL CINNAMAL	122-40-7	GD6850000	204-541-5	< 0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
Acute Tox. Oral 5; Skin Sens. 1; Aquatic Acute 2; Aquatic Chronic 2; H303, H317, H411														
HEXYL SALICYLATE	6259-76-3	NA	228-408-6	< 0.1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
Skins Sens. 1, Eye Irrit. 2, Aquatic Chronic 3; H317, H319, H412														
CITRONELLOL	106-22-9	UT2975000	203-375-0	< 1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
Skin. Irrit. 2; Skin Sens. 1B; Eye Irrit. 2, H315, H317, H319														
BENZYL SALICYLATE	118-58-1	VO1750000	204-262-9	< 1	NA	NA	NF	NF	NF	NA	NA	NA	ALLERGEN	
Skin Sens. 1; Aquatic Chronic 2; H303, H317, H319, H371, H401														

* Formaldehyde, when dissolved in water forms a -diol called methylene glycol or methane-diol, which has a different CAS number (463-57-0). Formaldehyde gas and the methylene glycol solution exist in a dynamic and reversible equilibrium, and therefore, the aqueous solution is capable of releasing formaldehyde gas [Winkelman et al. 2002; Oregon OSHA 2010a; Consumer Federation of American 2011]. An Oregon OSHA report concluded that for the purposes of worker protection it is appropriate to refer to both the hydrated and the non-hydrated formaldehyde as formaldehyde [Oregon OSHA 2010a]. In addition, the OSHA formaldehyde standard applies to all occupational exposures to formaldehyde (i.e., formaldehyde gas) its solutions, and other materials that release formaldehyde [29 CFR 1910.1048].¹

Methylene glycol produces gaseous formaldehyde under the intended conditions of use in hair straightening products due to the application of heat by straightening irons and/or blow drying. When methylene glycol/formaldehyde is used in hair straightening products at a concentration of 0.2% formaldehyde equivalent, the amount of gaseous formaldehyde released may exceed 0.1 mg/m³ (0.08 ppm), which is the WHO indoor air quality guideline for short term exposure. Therefore the use of methylene glycol/formaldehyde at 0.2% formaldehyde equivalent is not considered safe in hair straighteners.²


¹ From Health Hazard Evaluation Report 2011-0014-3147 CDC).

² From European Commission SCCS/1483/12 Revision September 18, 2012.

4. FIRST AID MEASURES

4.1	First Aid:	<p>Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.</p> <p>Eyes: Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician.</p> <p>Skin: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.</p> <p>Inhalation: Remove victim to fresh air at once.</p>										
4.2	Effects of Exposure:	<p>Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea.</p> <p>Eyes: Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.</p> <p>Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.</p> <p>Inhalation: Not expected to be irritating to the respiratory system.</p>										
4.3	Symptoms of Overexposure:	Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.										
4.4	Acute Health Effects:	Moderate irritation to eyes. Not expected to be irritating, sensitizing when used as intended. If irritation occurs following intended or prolonged contact it is expected to be mild and transient.										
4.5	Chronic Health Effects:	No harmful or chronic health effects are expected to occur from a single accidental ingestion.										
4.6	Target Organs:	Eyes, Skin										
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes and skin).										
		<table border="1"> <tr> <td>HEALTH</td> <td>3</td> </tr> <tr> <td>FLAMMABILITY</td> <td>1</td> </tr> <tr> <td>PHYSICAL HAZARDS</td> <td>0</td> </tr> <tr> <td>PROTECTIVE EQUIPMENT</td> <td>B</td> </tr> <tr> <td>EYES</td> <td>SKIN</td> </tr> </table>	HEALTH	3	FLAMMABILITY	1	PHYSICAL HAZARDS	0	PROTECTIVE EQUIPMENT	B	EYES	SKIN
HEALTH	3											
FLAMMABILITY	1											
PHYSICAL HAZARDS	0											
PROTECTIVE EQUIPMENT	B											
EYES	SKIN											

5. FIREFIGHTING MEASURES

5.1	Fire & Explosion Hazards:	Will not burn, but high heat, may release formaldehyde gas which will increase the health hazards. As a result of combustion and thermal decomposition, oxidation products may form and exposure to such products may result in health and additional fire hazards.	
5.2	Extinguishing Methods:	Water Fog, Foam, Dry Chemical, CO ₂ . Flood with water and use water spray to cool fire-exposed containers and structures.	
5.3	Firefighting Procedures:	As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personnel. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous decomposition products.	




6. ACCIDENTAL RELEASE MEASURES

6.1	Spills:	<p>Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment.</p> <p>For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows) and secure all sources of ignition. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.</p> <p>For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Use ONLY non-sparking tools for recovery and cleanup. Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.</p>
-----	---------	---

7. HANDLING & STORAGE INFORMATION

7.1	Work & Hygiene Practices:	Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk materials covered. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.
7.2	Storage & Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use.
7.3	Special Precautions:	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Do not store metal utensils inside containers of product.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Exposure Limits: ppm (mg/m ³)		ACGIH		NOHSC			OSHA			OTHER
		CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		METHYLENE GLYCOL	NA	0.3	1.2	2	2.5	5	2	20	FORMALDEHYDE
		ETHANOL	1000	3000	1000	1800	NF	1000	1900	3300	
8.2	Ventilation & Engineering Controls:	Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation) to maintain work place below STEL and PEL. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).									
8.3	Respiratory Protection:	No special respiratory protection is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.									
8.4	Eye Protection:	AVOID EYE CONTACT DUE TO IRRITATION POTENTIAL. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.									
8.5	Hand Protection:	AVOID SKIN CONTACT DUE TO SENSITIZATION POTENTIAL. Wear impervious resistant gloves when using or handling this product. When handling large quantities of fluid (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states.									
8.6	Body Protection:	However, no special body protection is required under typical circumstances of use and handling. A chemical resistant apron and/or protective clothing are recommended when handling or using this product. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.									

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 7/23/2018

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Appearance:	Translucent semi-viscous liquid
9.2	Odor:	Pungent odor
9.3	Odor Threshold:	NA
9.4	pH:	4.50-7.00
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	NA
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	NA
9.11	Relative Density:	NA
9.12	Solubility:	Partially soluble in water
9.13	Partition Coefficient (log P _{ow}):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	NA

10. STABILITY & REACTIVITY

10.1	Stability:	This product is stable when stored in a cool dry location out of direct sunlight and away from other sources of heat.
10.2	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂) and formaldehyde gas.
10.3	Hazardous Polymerization:	Will not occur.
10.4	Conditions to Avoid:	Open flames, sparks and high heat direct sunlight and close proximity to incompatible substances.
10.5	Incompatible Substances:	High temperatures, sources of heat and direct sunlight.

11. TOXICOLOGICAL INFORMATION

11.1	Routes of Entry:	Inhalation: YES	Absorption: YES	Ingestion: YES
11.2	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. This data has not been presented in this document. Specific ingredient information: <u>Methylene Glycol (as Formaldehyde)</u> LD ₅₀ (oral, rat): 42 mg/kg		
11.3	Acute Toxicity:	See Section 4.4		
11.4	Chronic Toxicity:	See Section 4.5		
11.5	Suspected Carcinogen:	<u>Formaldehyde</u> is listed by OSHA: Carcinogen; NTP: Known Human Carcinogen (NTP 12 th Report – June 10, 2011); IARC: Human Sufficient Evidence, Animal Sufficient Evidence, Group 1; ACGIH: A2 -Suspected Human Carcinogen; EC: Category 3; California: Carcinogen-initial date 01/01/1988.		
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.		
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.		
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.		
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.		
11.7	Irritancy of Product:	See Section 4.2		
11.8	Biological Exposure Indices:	NE		
11.9	Physician Recommendations:	Treat symptomatically.		

12. ECOLOGICAL INFORMATION

12.1	Environmental Stability:	The components of this product will slowly degrade over time into a variety of organic compounds. Specific environmental data available for the components of this product are available, but are not presented in this Safety Data Sheet.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.

13. DISPOSAL CONSIDERATIONS



13.1	Waste Disposal:	Dispose of in accordance with federal, state and local regulations.
13.2	Special Considerations:	NA

14. TRANSPORTATION INFORMATION




The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED

15. REGULATORY INFORMATION

15.1	SARA Reporting Requirements:	This product contains <u>Methylene Glycol (as Formaldehyde)</u> , a substance subject to Section 313 reporting requirements.
15.2	SARA Threshold Planning Quantity:	<u>Formaldehyde</u> : 27.7 kg (500 lbs) TPQ – SARA 302; 6804 kg (15,000 lbs) CAA -112 RQ.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity (RQ):	<u>Formaldehyde</u> : 45.4 kg (100 lbs) RQ (no RQ listed for Methylene Glycol)
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics). <u>Formaldehyde</u> is listed as a Hazardous Air Pollutant (HAP). This material does not contain any Class 1 Ozone depleters. This material does not contain any Class 2 Ozone depleters. <u>Formaldehyde</u> is listed as a Hazardous Substance under the CWA. <u>Formaldehyde</u> is considered highly hazardous by OSHA.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Product Regulations (CPR) and the Safety Data Sheet contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS E, D2B (Corrosive, Other Toxic Effects). 
15.7	State Regulatory Information:	<u>Methylene Glycol (Formaldehyde)</u> is found on the following state criteria list: California Proposition 65 (CA), Florida Toxic Substances List (FL), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA). <u>Ethanol</u> is found on the following state criteria lists: FL, MA, MN, NJ, PA, California Proposition 65 ((CA65) ethanol in alcoholic beverages) and WA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). WARNING: This product contains <u>Methylene Glycol</u> (as Formaldehyde), a substance known to the state of California to cause cancer. California No Significant Risk Level NOEL = 40 µg/day.
15.8	Other Requirements:	 WARNING: This product contains <u>Methylene Glycol</u> (as Formaldehyde), a substance known to the state of California to cause cancer. California No Significant Risk Level NOEL = 40 µg/day. For more information, go to www.P65Warnings.ca.gov .

16. OTHER INFORMATION

16.1	Other Information:	<p>DANGER! HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE DAMAGE. MAY CAUSE RESPIRATORY IRRITATION. SUSPECTED OF CAUSING CANCER. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing fume/gas/mist/vapor. Wash with soap and water thoroughly after handling. Do not eat, drink or smoke when using this product. Use only in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Specific treatment see this container label or SDS. Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER or doctor/physician if you feel unwell. IF EXPOSED OR CONCERNED: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store in a well-ventilated place. Keep container tightly closed. Store locked up. For external use only. Use only as directed. KEEP OUT OF REACH OF CHILDREN.</p> <p> WARNING: This product contains <u>Methylene Glycol</u> (listed as <u>Formaldehyde</u>) a chemical known to the state of California to cause cancer, birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.</p>	
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Brazilian Professionals, LLC's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.	
16.4	Prepared for:	<p>Brazilian Professionals, LLC 28001 Dorothy Drive Agoura Hills, CA 91301 USA Tel: +1 (877) 779-7706 Fax: +1 (818) 623-2309 http://www.brazilianblowout.com</p>	
16.5	Prepared by:	<p>ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com</p>	

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

HEALTH
FLAMMABILITY
PHYSICAL HAZARDS
PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or SOPs for special handling directions.

Safety Glasses	Splash Goggles	Face Shield & Protective Eyewear	Gloves
Boots	Protective Apron	Protective Clothing & Full Suit	Dust Respirator
Full Face Respirator	Dust & Vapor Half-Mask Respirator	Full Face Respirator	Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:	
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive

TOXICOLOGICAL INFORMATION:

LD₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD₁₀	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD₁₀, LD₁₀, & LD₀₁ or TC, TC₀₁, LC₁₀, & LC₀₁	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL_m	Median threshold limit
log K_{OW} or log K_{OC}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:


GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards | MSDS Revision: 3.0 | MSDS Revision Date: 02/01/2012

1. PRODUCT IDENTIFICATION

1.1	Product Name: BRAZILIAN BLOWOUT AÇAÍ PROFESSIONAL SMOOTHING SOLUTION
1.2	Chemical Name: NA
1.3	Synonyms: NA
1.4	Trade Names: Brazilian Blowout Açai Professional Smoothing Solution
1.5	Product Use: PROFESSIONAL USE ONLY
1.6	Distributor's Name: Brazilian Blowout
1.7	Distributor's Address: 6855 Tujunga Ave., North Hollywood, CA 91605
1.8	Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-3887
1.9	Business Phone: +1 (818) 232-8775 / +1 (877) 779-7706

2. HAZARD IDENTIFICATION

2.1	Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). WARNING! May cause an allergic skin reaction. Product releases formaldehyde (gas), a suspected carcinogen. Hazard Statements (H): H317 – May cause an allergic skin reaction. Product releases formaldehyde (gas), a suspected carcinogen. Precautionary Statements (P): P201 – Obtain special instructions before use. P202 – Do not handle until all safety precautions have been read and understood. P261 – Avoid breathing dust/fume/gas/mist/vapours/spray. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/protective clothing/eye protection/face protection. P281 – Use personal protective equipment as required. P302+P352 – IF ON SKIN: Wash with soap and water. P308+P313 - IF exposed or concerned: Get medical advice/attention. P333+P313 – If skin irritation or a rash occurs: Get medical advice/attention. P321 – Specific treatment (see section 4.1 of this Safety Data Sheet). P363 – Wash contaminated clothing before reuse. P405 – Store locked up. P501 – Dispose of contents/container to licensed, authorized treatment, storage and disposal facility (see Section 13.1 of this Safety Data Sheet).		
2.2	Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES		
2.3	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. EYES: Direct contact may cause mild irritation. Symptoms of overexposure may include redness, itching, irritation and watering. SKIN: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. INHALATION: May cause irritation and sensitization of the respiratory tract, especially if proper ventilation is not used or otherwise used improperly, e.g. excessive amounts of product are applied. When exposed to high heat (e.g., flat iron), may cause sore throat, coughing, and shortness of breath.		
2.4	Symptoms of Overexposure: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure may include redness, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.		
2.5	Acute Health Effects: Moderate irritation to eyes. Moderate irritation to skin near affected areas.		
2.6	Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. Frequent or prolonged exposure to product may cause hypersensitivity leading to contact dermatitis. Repeated or prolonged skin contact with product may cause an allergic reaction in some people. Proper ventilation must be used to ensure the OSHA TLV's are not exceeded. Avoid prolonged contact to concentrated vapors.		
2.7	Target Organs: Respiratory System, Skin, Eyes.		

NA = Not Available; ND = Not Determined; NE = Not Established; NF = Not Found; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used
 NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format.

3. COMPOSITION & INGREDIENT INFORMATION- continued


CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	EXPOSURE LIMITS IN AIR (mg/m ³)								
					ACGIH		NOHSC			OSHA			OTHER
					ppm		ppm			ppm			
					TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	TLV	STEL	IDLH	
AQUA (WATER)	7732-18-5	ZC0110000	231-791-2	< 85.0	NA	NA	NF	NF	NF	NA	NA	NA	
METHYLENE GLYCOL	463-57-0	NA	207-339-5	< 6.0	5.0	NA	1.0	2.0	NF	0.75	2.0	NA	0.1 NIOSH
BEHENYL TRIMETHYLAMMONIUM METHOSULFATE AND N-HEXADECANOL AND BUTYLENE GLYCOL MIXTURE	NA	NA	NA	≤ 5.0	NA	NA	NF	NF	NF	NA	NA	NA	
ISOPARAFFIN	64741-65-7	NA	265-067-2	≤ 3.0	NA	NA	NF	NF	NF	NA	NA	NA	
CETRIMONIUM CHLORIDE	112-02-7	NA	203-928-6	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
PETROLATUM	8009-03-8	SE6780000	232-373-2	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYPNEA MUSCIFORMIS EXTRACT (AND) [GELLIDIOLA ACEROSA EXTRACT (AND) SARGASSUM FILIPENDULA EXTRACT (AND) SORBITOL	NA	NA	NA	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
THEOBROMA GRANDIFLORUM SEED BUTTER (CUPUAÇU BUTTER)	394236-97-6	NA	NA	≤ 0.5	NA	NA	NF	NF	NF	NA	NA	NA	
PANTHENOL	81-13-0	ES4316000	201-327-3	≤ 0.25	NA	NA	NF	NF	NF	NA	NA	NA	
FRAGRANCE (PARFUM)	NA	NA	NA	≤ 2.0	NA	NA	NF	NF	NF	NA	NA	NA	
HYDROLYZED KERATIN	69430-36-0	NA	274-001-1	≤ 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
METHYLCHLOROISOTHIAZOLINONE	26172-55-4	NA	247-500-7	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	
METHYLISOTHIAZOLINONE	2682-20-4	NA	220-239-6	≤ 0.1	NA	NA	NF	NF	NF	NA	NA	NA	

4. FIRST AID MEASURES

4.1	First Aid:	<p>INGESTION: DO NOT INDUCE VOMITING. Contact ChemTrec at 703-527-3887 or the nearest Poison Control Center or local emergency telephone number for assistance and instructions. Seek immediate medical attention. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.</p> <p>EYES: If product gets in the eyes, flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek medical attention.</p> <p>SKIN: Remove contaminated clothing and wash affected areas with soap and water. If irritation persists, seek prompt medical attention. Do not wear contaminated clothing until after it has been properly cleaned.</p> <p>INHALATION: Should overexposure occur or victim shows signs of immediate distress, remove victim to fresh air at once. Under extreme conditions, if breathing stops, perform artificial respiration. Seek immediate medical attention.</p>											
4.2	Medical Conditions Aggravated by Exposure:	<p>Pre-existing dermatitis, other skin conditions, and pre-existing skin or eye disorders.</p> <p>Overexposure to product may cause lung damage and aggravate pulmonary conditions.</p> <p>Do no use on broken skin or irritated areas. In some individuals contact with skin may aggravate skin diseases such as eczema and contact dermatitis.</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="background-color: #0000FF; color: white; text-align: center;">HEALTH</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="background-color: #FF0000; color: white; text-align: center;">FLAMMABILITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="background-color: #FFFF00; text-align: center;">REACTIVITY</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="text-align: center;">PROTECTIVE EQUIPMENT</td> <td style="text-align: center;">C</td> </tr> <tr> <td style="text-align: center;">EYES</td> <td style="text-align: center;">SKIN</td> </tr> </table>	HEALTH	1	FLAMMABILITY	0	REACTIVITY	0	PROTECTIVE EQUIPMENT	C	EYES	SKIN
HEALTH	1												
FLAMMABILITY	0												
REACTIVITY	0												
PROTECTIVE EQUIPMENT	C												
EYES	SKIN												

5. FIREFIGHTING MEASURES

5.1	Flashpoint & Method: This product is not flammable.
5.2	Autoignition Temperature: ND
5.3	Flammability Limits: Lower Explosive Limit (LEL): NE Upper Explosive Limit (UEL): NE
5.4	Fire & Explosion Hazards: This product is not a flammable liquid. However, if involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO₂, and NO_x, formaldehyde).
5.5	Extinguishing Methods: Water Fog, Foam, Dry Chemical, CO₂
5.6	Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personnel. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous decomposition products.



6. ACCIDENTAL RELEASE MEASURES

6.1	Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., <1 gallon (3.785 liters)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For spills ≥ 1 gallon (3.785 liters), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.
-----	---

7. HANDLING & STORAGE INFORMATION

7.1	Work & Hygiene Practices: Avoid eye contact. Avoid breathing vapors. Wear protective gloves and avoid direct skin contact whenever possible. Wash hands thoroughly after using this product and before eating, drinking, or smoking. Keep away from foodstuffs and beverages.
7.2	Storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation is preferred, fans, open doors and windows). Do not store in damaged or unmarked containers or storage devices. Keep away from heat and direct sunlight. Keep containers securely closed when not in use.
7.3	Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Ventilation & Engineering Controls: Use with adequate ventilation (e.g., local exhaust ventilation is preferred, fans, open doors and windows). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). Use in a chemical fume hood when working with large quantities of product and provide adequate ventilation (e.g., local exhaust ventilation, fans).
8.2	Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling, however local source capture exhaust is recommended. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.
8.3	Eye Protection: Avoid eye contact. Safety glasses with side shields should be used when handling large quantities (e.g., ≥ 1 gallon (3.785 liters)) of this product.
8.4	Hand Protection: None required under normal conditions of use. However, may cause skin irritation and/or allergic sensitivity in some sensitive individuals, so when product is being mixed, applied or handled, wear gloves made of rubber (nitrile), vinyl or other impervious material.
8.5	Body Protection: No apron required when handling small quantities. When handling large quantities (e.g., ≥ 1 gallon (3.785 liters)), eye wash stations and deluge showers should be available.

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Density:	NA
9.2	Boiling Point:	NA
9.3	Melting Point:	NA
9.4	Evaporation Rate:	NA
9.5	Vapor Pressure:	NA
9.6	Molecular Weight:	NA
9.7	Appearance & Color:	Lotion with a slight pungent odor.
9.8	Odor Threshold:	NA
9.9	Solubility:	Partially soluble in water.
9.10	pH	4.0-5.0
9.11	Viscosity:	NA
9.12	Other Information:	NA

10. STABILITY & REACTIVITY

10.1	Stability: This product is stable when stored in a cool dry location out of direct sunlight and away from other sources of heat.
10.2	Hazardous Decomposition Products: Oxides of carbon (CO, CO₂) and sulfur (SO₂), and formaldehyde gas.
10.3	Hazardous Polymerization: Will not occur.
10.4	Conditions to Avoid: Open flames, sparks, high heat, direct sunlight and close proximity to incompatible substances.
10.5	Incompatible Substances: High temperatures, sources of heat and direct sunlight.

11. TOXICOLOGICAL INFORMATION

11.1	Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product, which are found in the scientific literature. These data have not been presented in this document.
11.2	Acute Toxicity: See section 2.5
11.3	Chronic Toxicity: See section 2.6
11.4	Suspected Carcinogen: Product releases formaldehyde (gas), a suspected carcinogen, which is listed as: OSHA: Carcinogen; NTP: Known Human Carcinogen (NTP 12th Report – June 10, 2011); IARC: Human Sufficient Evidence, Animal Sufficient Evidence, Group 1; ACGIH: A2 -Suspected Human Carcinogen; EC: Category 3
11.5	Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity: This product is not reported to produce teratogenic effects in humans.
	Reproductive Toxicity: This product is not reported to produce reproductive effects in humans.
11.6	Irritancy of Product: See Section 2.3
11.7	Biological Exposure Indices: NE
11.8	Physician Recommendations: Treat symptomatically.

12. ECOLOGICAL INFORMATION

12.1	Environmental Stability: The following statements refer to the environmental fate of <u>methylene glycol</u>. When released into the soil, this material is expected to leach into groundwater. When released into water, this material is expected to readily biodegrade. When released into water, this material is not expected to evaporate significantly. This material is not expected to significantly bioaccumulate. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals.
12.2	Effects on Plants & Animals: There is no specific data available for this product.
12.3	Effects on Aquatic Life: Fish Toxicity: 4960 µg/L 96 hour(s) LC₅₀ (Mortality) Striped bass (<i>Morone saxatilis</i>) Invertebrate Toxicity: 14000 µg/L 48 hour(s) EC₅₀ (Physiological) Water flea (<i>Daphnia magna</i>) Algal Toxicity: 4500 µg/L 48 hour(s) (Population Growth) Cryptomonad (<i>Chilomonas paramecium</i>) Fate and Transport: K_{ow}: 151.36 (log = 2.18) (estimated from water solubility); K_{oc}: 481.95 (log = 2.69) (estimated from water solubility)

13. DISPOSAL CONSIDERATIONS

13.1	Waste Disposal: Dispose of in accordance with federal, state and local regulations.
13.2	Special Considerations: Dispose of in accordance with federal, state and local regulations.


Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards | MSDS Revision: 3.0 | MSDS Revision Date: 02/01/2012

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, CTDGR, SCT and ADGR.

14.1	49 CFR (GND): NOT REGULATED	
14.2	IATA (AIR): NOT REGULATED	
14.3	IMDG (OCN): NOT REGULATED	
14.4	TDGR (Canadian GND): NOT REGULATED	
14.5	ADR/RID (EU): NOT REGULATED	
14.6	SCT (MEXICO): NOT REGULATED	
14.7	ADGR (Australia): NOT REGULATED	

15. REGULATORY INFORMATION

15.1	U.S. EPA SARA Reporting Requirements: This product contains methylene glycol a substance subject to SARA 313 reporting requirements.	
15.2	U.S. EPA SARA Threshold Planning Quantity: Formaldehyde: 27.7 kg (500 lbs) TPQ – SARA 302	
15.3	TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempted from inventory status.	
15.4	U.S. EPA CERCLA Reportable Quantity (RQ): Formaldehyde: 45.4 kg (100 lbs) - SARA 304	
15.5	Other U.S. Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). <u>Clean Air Act:</u> This material does not contain any Class 1 Ozone depletors. This material does not contain any Class 2 Ozone depletors. <u>Clean Water Act:</u> None of the chemicals in this product are listed as Priority Pollutants under the CWA. None of the chemicals in this product are listed as Toxic Pollutants under the CWA. OSHA Process Safety TQ: 454 kg (1000 lbs)	
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are not listed on the DSL/NDSL.	
15.7	U.S. State Regulatory Information: <u>Methylene Glycol</u> is on the following state criteria lists: California, New Jersey, Pennsylvania, Minnesota, and Massachusetts. When used as directed, this product releases formaldehyde gas. <u>Formaldehyde (gas)</u> is listed on the following state criteria lists: California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65); Minnesota Hazardous Substances List; Pennsylvania Right-To-Know List; Rhode Island Right-To-Know List. <u>California Proposition 65 Warning:</u> WARNING: Use of Brazilian Blowout Açai Professional Smoothing Solution as directed will expose you to formaldehyde (gas), a chemical known to the State of California to cause cancer.	

15. REGULATORY INFORMATION – cont'd

15.8 67/548/EEC (European Union) and Australia NOHSC:2011 (2003) Requirements:
The primary components of this product are not listed in Annex I of EU Directive 67/548/EEC.
Formaldehyde (1 % ≤ C < 5 %) is listed in Annex I of EU Directive 67/548/EEC.
Harmful (Xn). Risk Phrases (R): R40-Limited evidence of a carcinogenic effect. R43 - May cause sensitisation by skin contact.
WARNING! May cause an allergic skin reaction. Product releases formaldehyde (gas), a suspected carcinogen.
Hazard Statements (H): H317 – May cause an allergic skin reaction. Product releases formaldehyde (gas), a suspected carcinogen.
Precautionary Statements (P): P201 – Obtain special instructions before use. P202 – Do not handle until all safety precautions have been read and understood. P261 – Avoid breathing dust/fume/gas/mist/vapours/spray. P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/protective clothing/eye protection/face protection. P281 – Use personal protective equipment as required. P302+P352 – IF ON SKIN: Wash with soap and water. P308+P313 - IF exposed or concerned: Get medical advice/attention. P333+P313 – If skin irritation or a rash occurs: Get medical advice/attention. P321 – Specific treatment (see section 4.1 of this Safety Data Sheet). P363 – Wash contaminated clothing before reuse. P405 – Store locked up. P501 – Dispose of contents/container to licensed, authorized treatment, storage and disposal facility (see Section 13.1 of this Safety Data Sheet).
HazChem Code: None allocated.
Poison Schedule: None allocated.



16. OTHER INFORMATION

16.1 Other Information:
Do not ingest. If swallowed, do not induce vomiting; seek medical attention. Avoid eye contact. Keep out of reach of children. If redness or other signs of adverse reaction occur, discontinue use immediately. If irritation persists, seek medical attention. FOR PROFESSIONAL USE ONLY.

16.2 Terms & Definitions:
Please see last page of this MSDS.

16.3 Disclaimer:
This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & BRAZILIAN BLOWOUT's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

16.4 Prepared for:
Brazilian Blowout
6855 Tujunga Ave.
North Hollywood, CA 91605
+1-877-779-7706
+1-818-232-8775
<http://www.brazilianblowout.com/>



16.5 Prepared by:
ShipMate, Inc.
P.O. Box 787
780 Buckaroo Trail, Suite D
Sisters, OR 97759-0787
Tel: +1 (310) 370-3600
Fax: +1 (310) 370-5700
<http://www.shipmate.com>



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 3.0 MSDS Revision Date: 02/01/2012

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
----------------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Dangerous to Life and Health

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
------------	--

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

HEALTH
FLAMMABILITY
PHYSICAL HAZARDS
PERSONAL PROTECTION

PERSONAL PROTECTION RATINGS:

A		G	
B		H	
C		I	
D		J	
E		K	
F		X	Consult your supervisor or SOPs for special handling directions.

Note: the dotted circle indicates that this respiratory protective equipment is required for high concentrations or for large volume spills or releases of product.

OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:	
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD₁₀	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD₁₀, LD₁₀, & LD₀ or TC, TC₀, LC₁₀, & LC₀	Lowest dose (or concentration) to cause lethal or toxic effects
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL_m	Median threshold limit
log K_{ow} or log K_{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

A	B	C	D1	D2	D3	E	F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

C	E	F	N	O	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful/Irritating	Health Hazard	Environment

Materials Safety Data Sheet

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

- **Finished Product Name:** B3 Brazilian Bond Builder
- **Formula:** 129 - 08
- **Product Use:** Professional Use Only

- **Company Identification:** Brazilian Blowout
28001 Dorothy Drive
Agoura Hills, CA 91301

Telephone Number for Information: 1-877-779-7706

- **In case of medical emergencies, please contact your local poison control center.**

- **Emergency Telephone Number: CHEMTREC**
1-800-424-9300 (U.S. and Canada)
1-703-527-3887 (International)

- **Date:** December 2014

SECTION 2 – HAZARDOUS IDENTIFICATION

This is a personal care product that is safe for consumers and other users when used as intended. This product is not classified as a hazardous substance. Keep out of reach of children. Use only as directed.

SECTION 3 – COMPOSITION AND INGREDIENTS

The complete ingredient list for the finished product is as follows:

Dimethyl Isosorbide, PPG-3 Benzyl Ether Myristate, Hydrogenated Castor Oil / Sebacic Acid Copolymer, Benzyl Alcohol, Argania Spinosa (Argan) kernel oil, Tocopheryl Acetate, Simmondsia chinensis (Jojoba) Seed Oil, Rosa Canina Fruit Extract, Tilia Europaea Flower Extract, Symphytum Officinale Leaf Extract, Equisetum Arvense Extract, Urtica Dioica (Nettle) Leaf Extract, Helianthus Annuus (Sunflower) Seed Oil, Tocopherol, Prunus Armeniaca (Apricot) Kernel Oil, Benzyl Cinnamate, Benzyl Salicylate, Citronellol, Hexyl Cinnamal, Hydroxyisohexyl 3-Cyclohexene Carboxaldehyde, Butylphenyl Methylpropional, Linalool, Alpha Isomethyl Ionone, Fragrance (Parfum).

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

Material name: ACAI BRAZILIAN DRY OIL
Formula: BBMN-05-041E
Date: 06-November-2012
CAS#: Mixture
Product use: Body Oil
Company Information: Trademark Cosmetics
3263 Trade Center Drive
Riverside, CA. 92507
General Telephone: 1-951-683-2631

2. HAZARDS IDENTIFICATION

Emergency Overview Warning! Combustible liquid and vapor. Contact with eyes may cause mild irritation. Avoid contact with the eyes.

Potential short term health effects

Eyes: Contact may cause mild irritation.
Skin: Contact may cause mild irritation in sensitive individuals.
Inhalation: Inhalation of mists may cause mild respiratory irritation.
Ingestion: May cause gastro-intestinal disturbances.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	CAS#	PERCENT
Non-Hazardous Ingredients	Mixture	100

4. FIRST AID MEASURES

Eye Contact: Flush the eyes with large amounts of water while holding the eyelids open to assure that the entire surface is flushed. Get medical attention if irritation persists.

Skin Contact: Product is intended to contact the skin, and no first aid should be needed. If irritation develops, discontinue use, wash skin with soap and water. Get medical attention if irritation persists.

Inhalation: None needed under normal use conditions. If irritation develops, move to fresh air. Get medical attention if irritation persists.

Ingestion: If large amounts are swallowed, seek medical advice.

5. FIRE FIGHTING MEASURES

Unusual fire & explosion hazards: This product is classified as a combustible liquid. Keep away from heat, flames, and ignition sources.

Suitable extinguishing media: Dry chemical, CO2, water spray or foam.

Fire Fighting equipment/instructions: Firefighters should wear self-contained breathing apparatus and full protective clothing for all fires involving chemicals

Hazardous combustion products: Oxides of carbon and silicon.

6. ACCIDENTAL RELEASE MEASURES

Containment procedures Stop flow of material, if this is without risk. Dike the spilled material, where this is possible.

Personal precautions Keep unnecessary personnel away. Ventilate the area. Eliminate sources of heat and ignition sources.

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the environment.

Methods for cleaning up Large spills: Dike far ahead of liquid spill for later disposal. Soak up with inert material and

Material name: ACAI BRAZILIAN DRY OIL
Date: 11-06-2012
MSDS US

place in suitable containers for disposal.
Small spills: Wipe up with absorbent material and place in suitable for disposal.

Never return spills to original container for re-use.

Spill or leak procedures

For large spills, wear eye protection.
Small spills do not require special precautions. Carefully collect spills, and place in container for disposal.

7. HANDLING AND STORAGE

Handling

Avoid contact with the eyes. Use in accordance with package instructions.

Storage

Follow storage instructions on the product label.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Component	Exposure Limits
Non-Hazardous Ingredients	None Established
Personal protective equipment	
Respiratory protection:	None required under normal use conditions.
Hand protection:	None required under normal use conditions. Applicable for industrial settings only: Protective gloves.
Eye Protection:	None required under normal use conditions. Applicable for industrial settings only: Wear chemical goggles.
Skin and body protection:	None required under normal use conditions. Applicable for industrial settings only: Use personal protective equipment as required.
Engineering measures to reduce exposure:	General room ventilation sufficient under normal use conditions.
Hygiene measures:	Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety..

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Not Determined
Boiling Point:	Not Determined
Color:	Not Determined
Form:	Liquid.
Odor:	Characteristic to match standard
Percent Volatile:	Not Determined
pH:	Not Determined
Specific Gravity:	Not Determined
Viscosity:	Not Determined
VOC:	Not Determined
Flash Point:	161.6°F (72.0°C)
Flammability Limits:	
LEL:	Not Determined
UEL:	Not Determined

10. STABILITY AND REACTIVITY

Stability:	Stable under normal temperatures and pressures.
Conditions to avoid:	Avoid excessive heat and open flames.
Incompatibility:	Strong oxidizing agents
Hazardous decomposition products:	Combustion will produce oxides of carbon.
Hazardous polymerization:	Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute toxicity No data for product.

ACUTE HEALTH HAZARDS

Inhalation: Inhalation of mists may cause mild respiratory irritation.

Skin Contact: Contact may cause mild irritation in sensitive individuals.

Eye Contact: Contact may cause mild irritation.

Ingestion: May cause gastrointestinal disturbances.

Local effects	Contact may cause mild eye irritation
Corrosivity	Not expected to be hazardous by OSHA criteria.
Sensitization	Not expected to be hazardous by OSHA criteria.
Neurotoxicity	Not expected to be hazardous by OSHA criteria.
Carcinogenicity	None of the components of this product is listed as a carcinogen or suspected carcinogen by IARC, NTP or OSHA.
Mutagenicity	Not expected to be hazardous by OSHA criteria.
Reproductivity	Not expected to be hazardous by OSHA criteria.
Teratogenicity	Not expected to be hazardous by OSHA criteria.
Chronic toxicity	None currently known.
Routes of exposure	Skin contact. Eye contact.

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data for product.

13. DISPOSAL CONSIDERATIONS

Disposal instructions For Consumer Use – Empty containers may be offered for recycling or discarded with house hold trash.
Applicable for industrial settings only: Dispose of product in accordance with all local, state/provincial and federal regulations.

Contaminated packaging Offer rinsed packaging material to local recycling facilities.

14. TRANSPORT INFORMATION

Department of Transportation (DOT) Requirements

Basic Shipping Requirements:	
Proper shipping name	Not regulated in non-bulk packaging
Hazard class	None
UN number	None
Packing group	N/a
Additional Informational:	
Packaging exceptions	173.150

15. REGULATORY INFORMATION

US OSHA Classification (29CFR1910.1200): Combustible liquid.

SARA 311/312: Hazard Categories for SARA 311/312 Reporting: None

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements under SARA Section 313(40 CFR372): None

CERCLA Section 103 Reportable Quantity: This product is not subject to CERCLA reporting requirements as it is sold, however, many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

California Proposition 65: This product contains the following substances known to the State of California to cause cancer and/or reproductive harm: None known

16. OTHER INFORMATION

NFPA Rating: Health: 0 Fire: 2 Reactivity: 0

HMIS Rating: Health: 0 Fire: 2 Reactivity: 0

Revision History:

11/06/2012: New MSDS

1

MATERIAL SAFETY DATA SHEET
ACAI Molding Clay Wax

Updated Jan. 14, 2013

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ACAI Molding Clay Wax
Product Use: Personal Care/Use - Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
545 Columbia Ave.
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
28001 Dorothy Dr.
Agoura Hills, CA 91301
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Petrolatum	8009-03-8	30 – 100%
Kaolin	1332-58-7	30 – 100%
Sorbitan Stearate	1338-41-6	3 – 10%
Beeswax	8006-40-4	1 – 3%
Silica	112945-52-5	1 – 3%
Fragrance	N/A	1 – 3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW – No particular hazards known

Potential Health Effects

Inhalation: Not likely to occur under normal conditions of use

Ingestion: Not established

Skin Contact: May cause skin irritation on prolong skin contact

Eye Contact: May cause eye irritation including stinging, watering, and redness

Medical Conditions Generally Aggravated by Exposure: None, when used as directed

4. FIRST AID MEASURES

Inhalation: N/A

Ingestion: Seek medical advice immediately

Skin Contact: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if worn. Obtain medical advice

MATERIAL SAFETY DATA SHEET

ACAI Molding Clay Wax

2

Updated Jan. 14, 2013

5. FIRE FIGHTING MEASURES

Flammability Classification: Not flammable

Extinguishing Media: Water Fog," Alcohol" Foam, Dry Chemical or CO2

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained breathing apparatus is recommended for fire fighters

6. ACCIDENTAL RELEASE MEASURES

Spill Response: Scoop and place into suitable container for disposal

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice

Storage: Do not expose to heat. Keep the container closed when not in use

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: A well ventilated room with adequate air circulation

Skin Protection: The use of gloves to safeguard against long skin contact is considered good practice

Eye Protection: The use of approved eye protection to safeguard against potential eye contact is considered good practice

Respiratory Protection: If used with adequate ventilation, no protective equipment is necessary

Other Protective Equipment: A source of clean water should be available in the work area for flushing eyes and skin

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Earth Yellow

ODOR: Fruity

APPEARANCE: Smooth firm wax

PH: N/A

WATER SOLUBILITY: Water dispersible

10. STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage

Hazardous Polymerization: Not established

Incompatible (Materials to avoid): Not established

Decomposition Products: Not established

3

MATERIAL SAFETY DATA SHEET
ACAI Molding Clay Wax

Updated Jan. 14, 2013

11. TOXICOLOGICAL INFORMATION

Not established

12. DISPOSAL CONSIDERATIONS

For small amount, discard as ordinary trash

For large quantity, dispose in accordance with local or national regulations

13. TRANSPORTATION INFORMATION

Not regulated

14. OTHER INFORMATION

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

Lab Director

Yelena Slavin

MATERIAL SAFETY DATA SHEET

ACAI Anti-Frizz Conditioner

1

Updated July 20, 2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ACAI Anti-Frizz Conditioner
Product Use: Personal Care/Use - Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
3263 Trade Center Drive
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Water	7732-18-5	30 – 100%
Cetearyl Alcohol	67762-27-0	3 – 10%
Behentrimonium Chloride	17301-53-0	1 – 3%
Dimethicone	9006-65-9	1 – 3%
Amodimethicone	106842-44-8	1 – 3%
Cetyl Alcohol	36653-82-4	1 – 3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW – No particular hazards known

Potential Health Effects

Inhalation: Not likely to occur under normal conditions of use

Ingestion: Not established

Skin Contact: May cause skin irritation on prolong skin contact

Eye Contact: May cause eye irritation including stinging, watering, and redness

Medical Conditions Generally Aggravated by Exposure: None, when used as directed

4. FIRST AID MEASURES

Inhalation: N/A

Ingestion: Seek medical advice immediately

Skin Contact: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if worn. Obtain medical advice

MATERIAL SAFETY DATA SHEET

ACAI Anti-Frizz Conditioner

2

Updated July 20, 2011

5. FIRE FIGHTING MEASURES

Flammability Classification: Not flammable

Extinguishing Media: Water Fog," Alcohol" Foam, Dry Chemical or CO2

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained breathing apparatus is recommended for fire fighters

6. ACCIDENTAL RELEASE MEASURES

Spill Response: Scoop and place into suitable container for disposal

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice

Storage: Do not expose to heat. Keep the container closed when not in use

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: A well ventilated room with adequate air circulation

Skin Protection: The use of gloves to safeguard against long skin contact is considered good practice

Eye Protection: The use of approved eye protection to safeguard against potential eye contact is considered good practice

Respiratory Protection: If used with adequate ventilation, no protective equipment is necessary

Other Protective Equipment: A source of clean water should be available in the work area for flushing eyes and skin

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: White to off white

ODOR: Characteristic

APPEARANCE: Smooth Cream

PH: .96 – 1.0

WATER SOLUBILITY: Water dispersible

10. STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage

Hazardous Polymerization: Not established

Incompatible (Materials to avoid): Not established

Decomposition Products: Not established

MATERIAL SAFETY DATA SHEET
ACAI Anti-Frizz Conditioner

3

Updated July 20, 2011

11. TOXICOLOGICAL INFORMATION

Not established

12. DISPOSAL CONSIDERATIONS

For small amount, discard as ordinary trash

For large quantity, dispose in accordance with local or national regulations

13. TRANSPORTATION INFORMATION

Not regulated

14. OTHER INFORMATION

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

MATERIAL SAFETY DATA SHEET

ACAI Anti-Frizz Shampoo

1

Updated July 20, 2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ACAI Anti-Frizz Shampoo
Product Use: Personal Care/Use - Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
3263 Trade Center Drive
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Water	7732-18-5	30 – 100%
Disodium Laureth Sulfosuccinate	39254-45-5	3 – 10%
Sodium Lauryl Sulfoacetate	1847-58-1	3 – 10%
Sodium Cocoyl Isethionate	61789-32-0	3 – 10%
Cocamidopropylamine Oxide	68155-09-9	1 – 3%
Cocamidopropyl Hydroxysultaine	68139-30-0	1 – 3%
Cocamidopropyl Betaine	86438-79-1	1 – 3%
Glycol Distearate	627-83-8	1 – 3%
Steareth-4	59970-10-4	1 – 3%
PEG-18 Glyceryl Oleate /Cocoate	N/A	1 – 3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW – No particular hazards known

Potential Health Effects

Inhalation: Not likely to occur under normal conditions of use

Ingestion: Not established

Skin Contact: May cause skin irritation on prolong skin contact

Eye Contact: May cause eye irritation including stinging, watering, and redness

Medical Conditions Generally Aggravated by Exposure: None, when used as directed

4. FIRST AID MEASURES

Inhalation: N/A

Ingestion: Seek medical advice immediately

Skin Contact: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops

MATERIAL SAFETY DATA SHEET

ACAI Anti-Frizz Shampoo

2

Updated July 20, 2011

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if worn. Obtain medical advice

5. FIRE FIGHTING MEASURES

Flammability Classification: Not flammable

Extinguishing Media: Water Fog," Alcohol" Foam, Dry Chemical or CO2

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained breathing apparatus is recommended for fire fighters

6. ACCIDENTAL RELEASE MEASURES

Spill Response: Scoop and place into suitable container for disposal

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice

Storage: Do not expose to heat. Keep the container closed when not in use

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: A well ventilated room with adequate air circulation

Skin Protection: The use of gloves to safeguard against long skin contact is considered good practice

Eye Protection: The use of approved eye protection to safeguard against potential eye contact is considered good practice

Respiratory Protection: If used with adequate ventilation, no protective equipment is necessary

Other Protective Equipment: A source of clean water should be available in the work area for flushing eyes and skin

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: White

ODOR: Citrus

APPEARANCE: Pearly viscous liquid

PH: 5.0 -5.5

WATER SOLUBILITY: Water dispersible

10. STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage

Hazardous Polymerization: Not established

Incompatible (Materials to avoid): Not established

Decomposition Products: Not established

MATERIAL SAFETY DATA SHEET
ACAI Anti-Frizz Shampoo

3

Updated July 20, 2011

11. TOXICOLOGICAL INFORMATION

Not established

12. DISPOSAL CONSIDERATIONS

For small amount, discard as ordinary trash

For large quantity, dispose in accordance with local or national regulations

13. TRANSPORTATION INFORMATION

Not regulated

14. OTHER INFORMATION

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

MATERIAL SAFETY DATA SHEET

Anti-Residue Shampoo

1

Updated July 20, 2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Anti-Residue Shampoo
Product Use: Personal Care/Use - Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
3263 Trade Center Drive
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Water	7732-18-5	30 – 100%
Sodium Laureth Sulfate	68585-34-2	10 – 30%
Cocamidopropyl Betaine	86438-79-1	1 – 3%
Glycol Distearate	627-83-8	1 – 3%
Steareth-4	59970-10-4	1 – 3%
Cocamide DEA	61791-31-9	1 – 3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW – No particular hazards known

Potential Health Effects

Inhalation: Not likely to occur under normal conditions of use

Ingestion: Not established

Skin Contact: May cause skin irritation on prolong skin contact

Eye Contact: May cause eye irritation including stinging, watering, and redness

Medical Conditions Generally Aggravated by Exposure: None, when used as directed

4. FIRST AID MEASURES

Inhalation: N/A

Ingestion: Seek medical advice immediately

Skin Contact: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if worn. Obtain medical advice

MATERIAL SAFETY DATA SHEET

Anti-Residue Shampoo

2

Updated July 20, 2011

5. FIRE FIGHTING MEASURES

Flammability Classification: Not flammable

Extinguishing Media: Water Fog," Alcohol" Foam, Dry Chemical or CO2

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained breathing apparatus is recommended for fire fighters

6. ACCIDENTAL RELEASE MEASURES

Spill Response: Scoop and place into suitable container for disposal

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice

Storage: Do not expose to heat. Keep the container closed when not in use

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: A well ventilated room with adequate air circulation

Skin Protection: The use of gloves to safeguard against long skin contact is considered good practice

Eye Protection: The use of approved eye protection to safeguard against potential eye contact is considered good practice

Respiratory Protection: If used with adequate ventilation, no protective equipment is necessary

Other Protective Equipment: A source of clean water should be available in the work area for flushing eyes and skin

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: White

ODOR: Characteristic

APPEARANCE: Pearly viscous liquid

PH: 8.0 – 8.5

WATER SOLUBILITY: Water dispersible

10. STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage

Hazardous Polymerization: Not established

Incompatible (Materials to avoid): Not established

Decomposition Products: Not established

MATERIAL SAFETY DATA SHEET
Anti-Residue Shampoo

3

Updated July 20, 2011

11. TOXICOLOGICAL INFORMATION

Not established

12. DISPOSAL CONSIDERATIONS

For small amount, discard as ordinary trash

For large quantity, dispose in accordance with local or national regulations

13. TRANSPORTATION INFORMATION

Not regulated

14. OTHER INFORMATION

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

MATERIAL SAFETY DATA SHEET

Instant Volume Body Boost Powder

Updated June 19, 2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

Product Name: Instant Volume Body Boost Powder
Product Use: Personal Care/Use – Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
545 Columbia Avenue
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

HAZARD COMPONENTS	CAS#	% (wt/wt) range
Silicon dioxide, chemically prepared	112945-52-5	30 - 100
(classified as hazardous under OSHA regulations)		

3. HAZARDS IDENTIFICATION:

Emergency Overview: Dust may be irritating to respiratory tract

POTENTIAL HEALTH EFFECT:

Skin contact : May cause skin irritation.
May cause eye irritation including stinging, watering, and redness.

Eye Contact:

Inhalation: Dust may be irritating to respiratory tract

Ingestion: No hazard expected in normal use

MATERIAL SAFETY DATA SHEET

Instant Volume Body Boost Powder

Updated June 19, 2012

4. FIRST AID MEASURES:

Eyes: Immediately flush eyes with water and continue washing for 15 minutes. Remove contact lenses if worn. Obtain medical advise

Skin: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops.

Inhalation: In case product dust is released, possible discomfort: cough, sneezing. Move victims into fresh air

Ingestion: If accidentally swallowed, rinse mouth thoroughly with water and afterwards, drink plenty of water. In case of discomfort, obtain medical attention.

5. FIRE FIGHTING MEASURES:

Flammability Classification: Not flammable

Extinguishing Media: All extinguishing substances suitable

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained positive-pressure breathing apparatus is recommended for fire fighters.

6. ACCIDENTAL RELEASE MEASURES:

Spill Response: Obey relevant local, state, provincial and federal laws and regulations.

Method for cleaning up: Sweep up or vacuum up spillage and collect in suitable container for disposal.

7. HANDLING AND STORAGE:

Handling: Use with adequate ventilation.
Take precautionary measures against static discharges.

Storage: Keep containers tightly closed in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Occupational Exposure guidelines

Silicon Dioxide, chemically prepared; cas# 112945-52-5

Control parameters: 20 million of particles per cubic foot of air
0.8 mg/m³

Time Weighted Average (TWA): (Z3)

Time Weighted Average (TWA): (Z3)

Engineering Controls: A well ventilated room with adequate air circulation.

Skin Protection: The use of gloves to safeguard against long skin contact is considered good practice.

MATERIAL SAFETY DATA SHEET

Instant Volume Body Boost Powder

Updated June 19, 2012

Eye Protection:	The use of approved eye protection to safeguard against potential eye contact is considered good practice.
Respiratory Protection:	If used with adequate ventilation, no protective equipment is necessary
Other Protective Equipment:	A source of clean water should be available in the work area for flushing eyes and skin.

9. PHYSICAL AND CHEMICAL PROPERTIES:

10. STABILITY AND REACTIVITY:

Stability:	Stable under normal conditions of use and storage.
Conditions to avoid	Operations that create dust.
Decomposition Products:	None known
Thermal decomposition	> 2000 C
Hazardous Polymerization:	Product will not undergo hazardous polymerization.

11. TOXICOLOGICAL INFORMATION:

Not established.

12. DISPOSAL CONSIDERATIONS:

Waste must be disposed of in accordance with federal, state, provincial, and local regulations.

13. TRANSPORT INFORMATION:

Not classified as dangerous in the meaning of transport regulations.

MATERIAL SAFETY DATA SHEET
Instant Volume Body Boost Powder

Updated June 19, 2012

14. REGULATORY INFORMATION:

US Federal Regulations

SARA Title III Section 311/312 Hazard Categories:

The product meets the criteria only for the listed hazard classes: Acute Health Hazard

15. OTHER INFORMATION:

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

MATERIAL SAFETY DATA SHEET

ACAI Daily Smoothing Serum

1

Updated July 20, 2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ACAI Daily Smoothing Serum
Product Use: Personal Care/Use - Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
3263 Trade Center Drive
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Water	7732-18-5	30 – 100%
PPG-3 Benzyl Ether Myristate	642443-86-5	3 – 10%
Cyclopentasiloxane	541-02-6	3 – 10%
Dimethicone	9006-65-9	3 – 10%
Cetearyl Alcohol	67762-27-0	3 – 10%
Behentrimonium Chloride	17301-53-0	1 – 3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW – No particular hazards known

Potential Health Effects

Inhalation: Not likely to occur under normal conditions of use

Ingestion: Not established

Skin Contact: May cause skin irritation on prolong skin contact

Eye Contact: May cause eye irritation including stinging, watering, and redness

Medical Conditions Generally Aggravated by Exposure: None, when used as directed

4. FIRST AID MEASURES

Inhalation: N/A

Ingestion: Seek medical advice immediately

Skin Contact: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if worn. Obtain medical advice

MATERIAL SAFETY DATA SHEET
ACAI Daily Smoothing Serum

2

Updated July 20, 2011

5. FIRE FIGHTING MEASURES

Flammability Classification: Not flammable

Extinguishing Media: Water Fog," Alcohol" Foam, Dry Chemical or CO2

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained breathing apparatus is recommended for fire fighters

6. ACCIDENTAL RELEASE MEASURES

Spill Response: Scoop and place into suitable container for disposal

7. HANDLING AND STORAGE

MATERIAL SAFETY DATA SHEET
ACAI Daily Smoothing Serum

3

Updated July 20, 2011

11. TOXICOLOGICAL INFORMATION

Not established

12. DISPOSAL CONSIDERATIONS

For small amount, discard as ordinary trash

For large quantity, dispose in accordance with local or national regulations

13. TRANSPORTATION INFORMATION

Not regulated

14. OTHER INFORMATION

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

MATERIAL SAFETY DATA SHEET

ACAI Deep Conditioning Masque

1

Updated February 21, 2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ACAI Deep Conditioning Masque
Product Use: Personal Care/Use - Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
3263 Trade Center Drive
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Water	7732-18-5	30 – 100%
Cetearyl Alcohol	67762-27-0	3 – 10%
Behentrimonium Chloride	17301-53-0	3 – 10%
Phenyl Trimethicone	73559-47-4	1 – 3%
Amodimethicone	106842-44-8	1 – 3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW – No particular hazards known

Potential Health Effects

Inhalation: Not likely to occur under normal conditions of use.

Ingestion: Not established.

Skin Contact: May cause skin irritation on prolonged skin contact.

Eye Contact: May cause eye irritation including stinging, watering, and redness.

MEDICAL CONDITION AGGRAVATED BY EXPOSURE - None, when used as directed

4. FIRST AID MEASURES

Inhalation: N/A.

Ingestion: Seek medical advice immediately.

Skin Contact: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, Remove contact lenses if worn. Obtain medical advice.

MATERIAL SAFETY DATA SHEET

ACAI Deep Conditioning Masque

2

Updated February 21, 2011

5. FIRE FIGHTING MEASURES

Flammability Classification: Not flammable.

Extinguishing Media: Water Fog," Alcohol" Foam, Dry Chemical or CO2

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained breathing apparatus is recommended for fire fighters.

6. ACCIDENTAL RELEASE MEASURES

Spill Response: Scoop and place into suitable container for disposal.

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice.

Storage: Do not expose to heat. Keep the container closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: A well ventilated room with adequate air circulation.

Skin Protection: The use of gloves to safeguard against long skin contact is considered good practice.

Eye Protection: The use of approved eye protection to safeguard against potential eye contact is considered good practice.

Respiratory Protection: If used with adequate ventilation, no protective equipment is necessary.

Other Protective Equipment: A source of clean water should be available in the work area for flushing eyes and skin.

9. PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Off White

ODOR: Characteristic

APPEARANCE: Cream

PH: 3.0 – 6.0

WATER SOLUBILITY: Water dispersible.

10. STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage.

Hazardous Polymerization: Not established.

Incompatible (Materials to avoid): Not established.

Decomposition Products: Not established.

11. TOXICOLOGICAL INFORMATION

Not established

12. DISPOSAL CONSIDERATIONS

For small amount, discard as ordinary trash.

For large quantity, dispose in accordance with local or national regulations.

MATERIAL SAFETY DATA SHEET
ACAI Deep Conditioning Masque

3

Updated February 21, 2011

13. TRANSPORTATION INFORMATION

Not regulated.

14. OTHER INFORMATION

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

MATERIAL SAFETY DATA SHEET

PAGE 2 OF 4

MSDS I.D. # BBJV-03-006D

Date Prepared : 1/4/2011

4: FIRST AID MEASURES

Eyes: Immediately flush eyes with water and continue washing for 15 minutes. Remove contact lenses if worn. Obtain medical advise

Skin: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops.

Inhalation: N/A

Ingestion: Seek medical advise immediately

5: FIRE-FIGHTING MEASURES

Flammability Classification: Not flammable

Extinguishing Media: Water Fog," Alcohol" Foam, Dry Chemical or CO2

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained breathing apparatus is recommended for fire fighters.

6: Accidental Release Measures

Spill Response: Scoop and place into suitable container for disposal.

7: HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice

Storage: Do not expose to heat. Keep the container closed when not in use.

MATERIAL SAFETY DATA SHEET

PAGE 3 of 4

MSDS I.D. # BBJV-03-006D

Date Prepared : 1/4/2011

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls:	A well ventilated room with adequate air circulation.
Skin Protection:	The use of gloves to safeguard against long skin contact is considered good practice.
Eye Protection:	The use of approved eye protection to safeguard against potential eye contact is considered good practice.
Respiratory Protection:	If used with adequate ventilation, no protective equipment is necessary
Other Protective Equipment:	A source of clean water should be available in the work area for flushing eyes and skin.

9: PHYSICAL AND CHEMICAL PROPERTIES

Color:	White
Odor:	Fruity
Appearance:	Smooth firm cream
pH:	6.25 - 6.75
Water solubility	Water dispersible

10: STABILITY AND REACTIVITY

Stability:	Stable under normal conditions of use and storage.
Incompatible: (Materials to avoid)	Not established.
Decomposition Products:	Not established
Hazardous Polymerization:	Not established

11. TOXICOLOGICAL INFORMATION

Not established

12: DISPOSAL CONSIDERATIONS

For small amount, discard as ordinary trash.
For large quantity, dispose in accordance with local or national regulations.

MATERIAL SAFETY DATA SHEET

PAGE 4 of 4

MSDS I.D. # BBJV-03-006D

Date Prepared : 1/4/2011

13: TRANSPORTATION INFORMATION

Not regulated

14. OTHER INFORMATION

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

MATERIAL SAFETY DATA SHEET

ACAI Shine and Shield Spray Shine

1

Updated February 1, 2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ACAI Shine and Shield Spray Shine
Product Use: Personal Care/Use - Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
3263 Trade Center Drive
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Cyclopentasiloxane	541-02-6	10 – 30%
Cyclohexasiloxane	540-97-6	10 – 30%
SD Alcohol 40-B	64-17-5	10 – 30%
Benzyl Ether Myristate	642443-86-5	10 – 30%
Phenyl Trimethicone	73559-47-4	1 – 3%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW - CAUTION! May cause mild eye and skin irritation. This product is intended as a personal care product.

NFPA Rating: Health - 1, Flammability - 2, Reactivity - 0
NFPA Definitions: (0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme).

Potential Health Effects

Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of normal use. Prolonged exposure may cause respiratory tract irritation.

Ingestion: May be harmful if swallowed.

Skin Contact: May cause irritation or redness.

Eye Contact: Contact with eyes may cause irritation or redness.

Chronic Exposure: None known.

Aggravation of Pre-existing Conditions: Persons with pre-existing skin disorders may be more susceptible to the effects of the substance.

Carcinogenicity: There are no components of this product listed by the NTP, IARC, or regulated by OSHA as carcinogens.

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion: Never give anything by mouth to an unconscious person. Seek medical attention immediately.

Skin Contact: Wash skin with plenty of soap and water. Get medical attention if problems persist.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, Remove contact lenses if worn. Not expected to present a hazard. Get medical attention if irritation persists.

3

MATERIAL SAFETY DATA SHEET
ACAI Shine and Shield Spray Shine

Updated February 1, 2011

12. ECOLOGICAL INFORMATION

Environmental Fate: No Data Available
Environmental Toxicity: No Data Available

13. DISPOSAL CONSIDERATIONS

Dispose of container and unused contents in accordance with federal, state and local requirements.

14. TRANSPORTATION INFORMATION

Domestic (Land, D.O.T.) International (Water, I.M.O. & Air, I.C.A.O.)
Non-Bulk Shipments: Consumer Commodity ORM-D
SHIPPING NAME: Flammable, n.o.s.
PRODUCT LABEL: ACAI Shine and Shield Spray Shine
UN NUMBER: 1993
D.O.T. HAZARD CLASS: 3
PACKING GROUP: III – Low Danger
ERG #: 128
Max container size for Air Shipments: N/A

15. REGULATORY INFORMATION

U.S. Regulations:
EPA Toxic Substances Control Act (TSCA): All of the components for this product are listed on the TSCA Inventory or exempted from TSCA.
SARA 302 Listed Chemicals: None
SARA 311/312 Hazard Categories: Not applicable.
SARA 313 This product contains the following chemicals subject to annual release reporting requirements under the SARA section 313 (40CFR 372): None
California Proposition 65: This product does not contain chemicals listed per the Safe Drinking Water and Toxic Enforcement Act of 1986.

International Regulations:

Canadian WHMIS Classification: Class B-3 Combustible Liquid
This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Prepared By: Paul Eigbrett; Date: February 1, 2011; Supersedes: New

This Material Safety Data Sheet (MSDS) has been reviewed to fully comply with the guidance contained in the ANSI MSDS standard (ANSI Z400.1-2004).

This information is furnished gratuitously and independent of the sales of the product without warranty, expressed or implied, except that it is accurate to the best knowledge of Trademark Cosmetics. NO WARRANTY, EITHER EXPRESS OR IMPLIED WITH RESPECT TO THE PRODUCT OR TO THE DATA HEREIN IS MADE HEREUNDER. The data in this Material Safety Data Sheet relates only to the specific material designated herein. It does not relate to use in combination with any other material or in any process.

MATERIAL SAFETY DATA SHEET

Instant Volume Thermal Root Lift

Updated June 20, 2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

Product Name: Instant Volume Thermal Root Lift
Product Use: Personal Care/Use – Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
545 Columbia Avenue
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
SD Alcohol 40-B	64-17-5	30 – 100%
Water (Aqua)	7732-18-5	30 – 100%
Isobutylene/Ethylmaleimide/Hydroxyethylmaleimide Copolymer	283148-39-0	3 – 10%

3. HAZARDS IDENTIFICATION:

EMERGENCY OVERVIEW WARNING:

Flammable liquid and vapor. Avoid heat and flames. May cause eye irritation. Avoid breathing concentrated vapors. Vapors may cause respiratory tract irritation. Concentrated vapors may cause dizziness and drowsiness.

4. FIRST AID MEASURES:

Inhalation: Remove to fresh air. Get medical attention if irritation or other symptoms persist.

Ingestion: If conscious, give 1 glass of water or milk to dilute. DO NOT induce vomiting. Never give anything by mouth to a person who is unconscious or convulsing. Get medical attention.

Skin Contact: No first aid should be needed. If irritation occurs, seek medical advice.

Eye Contact: Flush eyes with water while lifting the upper and lower lids for several minutes. Remove contact lenses if present and easy to do, after the first 5 minutes; then continue flushing. Get medical attention if irritation persists.

MATERIAL SAFETY DATA SHEET

Instant Volume Thermal Root Lift

Updated June 20, 2012

5. FIRE FIGHTING MEASURES:

Extinguishing Media: Use water spray, carbon dioxide, dry chemical or chemical resistant foam on fire. Cool fire exposed containers with water.

Special Fire Fighting Procedures: Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing for fires in areas where chemicals are used or stored.

Unusual Fire Hazards: Flammable liquid and vapor. Vapors are heavier than air and can travel along surfaces to remote ignition sources and flash back. Exposure of containers to extreme heat and flames can cause them to rupture.

Hazardous Combustion Products: Thermal decomposition may produce carbon monoxide and/or carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES:

Ventilate area of spill and remove all sources of ignition. Wear appropriate protective clothing and equipment as described in Section 8. Collect using absorbent materials and place into a suitable container for disposal. Prevent runoff to storm sewers and ditches leading to natural waterways. Report spill as required by local and federal regulations.

7. HANDLING AND STORAGE:

Avoid eye contact. Avoid breathing mists or aerosols. Do not smoke or use around open flames or sources of extreme heat. Use with adequate ventilation.

Store in a cool area out of direct sunlight.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

CHEMICAL	EXPOSURE LIMIT
SD Alcohol 40-B	1000 ppm STEL ACGIH-TLV 1000 ppm TWA OSHA- PEL
Water (Aqua)	None Established
Isobutylene/Ethylmaleimide/Hydroxyethylmaleimide Copolymer	None Established

Ventilation: General ventilation should be adequate for normal use.

Respiratory Protection: None required for normal use.

Gloves: None required for normal use.

Eye Protection: None required for normal use. Avoid spraying in eyes.

Other Protective Equipment/Clothing: None required for normal use.

NOTE: For bulk processing and packaging safety goggles, impervious gloves and protective clothing should be worn.

MATERIAL SAFETY DATA SHEET

Instant Volume Thermal Root Lift

Updated June 20, 2012

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance And Odor: Cylindrical containers with no outside odor.

pH: Not determined		Specific Gravity: Not determined
Boiling Point: 78.3°C (172.9°F) (Ethanol)		Vapor Pressure: 44.6 mmHg @ 20°C (68°F) (Ethanol)
Freezing Point: Not determined		Vapor Density: Not determined
Solubility In Water: Soluble		Percent Volatile: Not determined
Coefficient Of Water/Oil Distribution: Not determined		Evaporation Rate: Not determined
Flash Point: 23°C (73.4°F)- closed cup		Autoignition Temp: 363.0°C (685°F) (Ethanol)
Flammability Limits:	LEL: 3.3% (V) (Ethanol) UEL: 19% (V) (Ethanol)	Viscosity @ 25°C: Not determined

10. STABILITY AND REACTIVITY:

Stability: Stable under normal storage conditions.

Conditions To Avoid: Avoid heat, sparks, flames, and all other ignition sources.

Incompatibility: Strong acids and oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition may produce carbon monoxide and/or carbon dioxide.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION:

Acute Hazards:

Inhalation: High concentrations of mist and vapors may cause irritation to the eyes, and upper respiratory tract and nervous system effects such as dizziness, drowsiness and unconsciousness. Health injuries are not expected under normal use.

Skin Contact: Health injuries are not expected under normal use.

Eye Contact: May cause eye irritation. Health injuries are not expected under normal use.

Ingestion: May be harmful if swallowed. May cause mouth, throat, and gastrointestinal irritation and nervous system effects such as dizziness, drunkenness, and drowsiness. Health injuries are not expected under normal use.

Chronic Hazards: Chronic ingestion of ethanol may damage the liver. Ingestion of alcohol during pregnancy may cause birth defects. Health injuries are not expected under normal use.

Medical Conditions Aggravated By Exposure: Pre-existing skin disorders or eye problems, or respiratory defects.

Carcinogen: None of the components is listed as a carcinogen or potential carcinogen by IARC, NTP, ACGIH or OSHA. Ingestion of alcoholic beverages may cause cancer.

Acute Toxicity Values:

SD Alcohol 40-B Inhalation Rat LC50:200000 ppm/4hr

Oral Rat LD50:7060 mg/kg

MATERIAL SAFETY DATA SHEET **Instant Volume Thermal Root Lift**

Updated June 20, 2012

12. ECOLOGICAL INFORMATION:

This product is not expected to be harmful for the environment.

13. DISPOSAL CONSIDERATIONS:

Dispose of all waste product in accordance with applicable Federal, State and local regulations. Empty containers should be offered for recycling.

14. TRANSPORTATION INFORMATION:

DOT Hazardous Materials Description:

Until Dec 31, 2013		After Jan 1, 2014	
Proper Shipping Name:	Consumer Commodity	Proper Shipping Name:	Ethanol Solution, Limited Quantity
UN Number:	None	UN Number:	UN1170
Hazard Class/Packing Group:	ORM-D	Hazard Class/Packing Group:	3, II

15. REGULATORY INFORMATION:

United States:

CERCLA Section 103: This product is not subject to CERCLA reporting requirements. Many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

SARA Hazard Category (311/312): Acute Health, Fire Hazard

SARA 313: This product contains the following chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372): None

EPA TSCA Inventory: All of the ingredients in this product are listed on the EPA TSCA Inventory or exempt.

California Proposition 65: This product contains the following substances known to the State of California to cause cancer and/or reproductive harm (birth defects): None.

MATERIAL SAFETY DATA SHEET
Instant Volume Thermal Root Lift

Updated June 20, 2012

16. OTHER INFORMATION:

NFPA Rating (NFPA 704):	Health: 1	Fire: 3	Instability: 0
HMIS Rating:	Health: 1	Fire: 3	Physical Hazard: 0

REVISION SUMMARY: New MSDS

MATERIAL SAFETY DATA SHEET

ACAI Protective Thermal Straightening Balm

1

Updated February 1, 2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ACAI Protective Thermal Straightening Balm
Product Use: Personal Care/Use - Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
3263 Trade Center Drive
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Propylene Glycol	57-55-6	30 – 100%
Water	7732-18-5	10 – 30%
Cyclopentasiloxane	541-02-6	3 – 10%
Cyclohexaciloxane	540-97-6	3 – 10%
Dimethicone	9006-65-9	3 – 10%
Phenyl Trimethicone	73559-47-4	3 – 10%
Hexylene Glycol	107-41-5	3 – 10%
Dimethiconol	70131-67-8	3 – 10%

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW - CAUTION! May cause mild eye and skin irritation. This product is intended as a personal care product.

NFPA Rating: Health - 1, Flammability - 1, Reactivity - 0
NFPA Definitions: (0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme).

Potential Health Effects

Inhalation: Not expected to present a significant inhalation hazard under anticipated conditions of normal use. Prolonged exposure may cause respiratory tract irritation.

Ingestion: May be harmful if swallowed.

Skin Contact: May cause irritation or redness.

Eye Contact: Contact with eyes may cause irritation or redness.

Chronic Exposure: None known.

Aggravation of Pre-existing Conditions: Persons with pre-existing skin disorders may be more susceptible to the effects of the substance.

Carcinogenicity: There are no components of this product listed by the NTP, IARC, or regulated by OSHA as carcinogens.

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty.

Ingestion: Never give anything by mouth to an unconscious person. Seek medical attention immediately.

MATERIAL SAFETY DATA SHEET

ACAI Protective Thermal Straightening Balm

2

Updated February 1, 2011

Skin Contact: Wash skin with plenty of soap and water. Get medical attention if problems persist.
Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes, Remove contact lenses if worn. Not expected to present a hazard. Get medical attention if irritation persists.

5. FIRE FIGHTING MEASURES

Flash Point (PMCC): >99°C (210°F) **Auto ignition temperature:** Not established
Flammable limits in air % by volume: LEL: NE UEL: NE
Explosion: None known
Fire Extinguishing Media: For small fires Carbon Dioxide, dry chemical or water spray.
Special Fire Fighting Procedures: None required

6. ACCIDENTAL RELEASE MEASURES

Clean up excess material and place in container for reclaim, recycle or disposal. Comply with all federal, state and local regulations.

7. HANDLING AND STORAGE

STORAGE TEMPERATURE: Do not exceed 48°C (120°F)
HANDLING (PERSONNEL): Avoid contact with eyes.
STORAGE PRECAUTIONS: Keep in a tightly closed container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Airborne Exposure Limits: None Established.
Ventilation: Keep container in a cool, well ventilated area. Keep container tightly closed until ready for use. Avoid possible sources of ignition.

9. PHYSICAL AND CHEMICAL PROPERTIES

FORM: Paste	COLOR: Clear
ODOR: Mild Characteristic	SPECIFIC GRAVITY: Not established
SOLUBILITY IN WATER: Soluble	PH: Not established
MELTING/FREEZING POINT: Not established	BOILING POINT: >175°F
EVAPORATION RATE (BuAc=1): Not established	VISCOSITY: Not established
AUTOIGNITION TEMPERATURE: Not established	VAPOR DENSITY (Air=1): Not established
% VOLATILES BY VOLUME @ 21°C (70°F): NE	VAPOR PRESSURE (mm Hg): Not established

10. STABILITY AND REACTIVITY

Stability: Stable under ordinary conditions of use and storage.
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide
Hazardous Polymerization: Does not occur.
Incompatibilities: Strong oxidizers
Conditions to Avoid: Incompatible materials, heat, sources of ignition.

11. TOXICOLOGICAL INFORMATION

Symptoms/Effects of Overexposure:
Inhalation: None expected.
Skin contact: Prolonged skin contact may cause mild irritation in sensitive individuals. Not expected to be a sensitizer.
Eye Contact: May cause mild irritation.
Ingestion: Not intended for ingestion.
Chronic toxicity: Slightly hazardous in case of skin contact (sensitizer).
Medical conditions aggravated by exposure: Pre-existing skin and eye conditions.

3

MATERIAL SAFETY DATA SHEET
ACAI Protective Thermal Straightening Balm

Updated February 1, 2011

Cancer Lists

Ingredient

All Ingredients

Reproductive Toxicity: Not established.

Acute Toxicity Values: Not established.

---NTP Carcinogen---

<u>Known</u>	<u>Anticipated</u>	<u>IARC Category</u>
No	No	No

12. ECOLOGICAL INFORMATION

Environmental Fate: No Data Available

Environmental Toxicity: No Data Available

13. DISPOSAL CONSIDERATIONS

Dispose of container and unused contents in accordance with federal, state and local requirements.

14. TRANSPORTATION INFORMATION

Domestic (Land, D.O.T.) International (Water, I.M.O. & Air, I.C.A.O.)

SHIPPING NAME: Non - Regulated

PRODUCT LABEL: ACAI Protective Thermal Straightening Balm

UN NUMBER: NA

D.O.T. HAZARD CLASS: NA

PACKING GROUP: NA

ERG #: NA

Max container size for Air Shipments: N/A

15. REGULATORY INFORMATION

U.S. Regulations:

EPA Toxic Substances Control Act (TSCA): All of the components for this product are listed on the TSCA Inventory or exempted from TSCA.

SARA 302 Listed Chemicals: None

SARA 311/312 Hazard Categories: Not applicable.

SARA 313 This product contains the following chemicals subject to annual release reporting requirements under the SARA section 313 (40CFR 372): None

California Proposition 65: This product does not contain chemicals listed per the Safe Drinking Water and Toxic Enforcement Act of 1986.

International Regulations:

Canadian WHMIS Classification: Not Classified

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

Prepared By: Paul Eigbrett;

Date: February 1, 2011;

Supersedes: New

This Material Safety Data Sheet (MSDS) has been reviewed to fully comply with the guidance contained in the ANSI MSDS standard (ANSI Z400.1-2004).

This information is furnished gratuitously and independent of the sales of the product without warranty, expressed or implied, except that it is accurate to the best knowledge of Trademark Cosmetics. NO WARRANTY, EITHER EXPRESS OR IMPLIED WITH RESPECT TO THE PRODUCT OR TO THE DATA HEREIN IS MADE HEREUNDER. The data in this Material Safety Data Sheet relates only to the specific material designated herein. It does not relate to use in combination with any other material or in any process.

MATERIAL SAFETY DATA SHEET

Volume Conditioner

1

Updated June 19, 2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

Product Name: Volume Conditioner
Product Use: Personal Care/Use – Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
545 Columbia Ave.,
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Water	7732 -18-5	30 – 100%
Cetearyl Alcohol	67762-27-0	3 – 10%
Behentrimonium Methosulfate	81646-13-1	1 – 3%
Cetyl Alcohol	36653-82-4	1 – 3%
Simmondsia Chinensis (Jojoba) Seed Oil	61789-91-1	1– 3%

3. HAZARD IDENTIFICATION:

EMERGENCY OVERVIEW – No particular hazards known

Potential Health Effects

Inhalation: Not likely to occur under normal conditions of use

Ingestion: Not established

Skin Contact: May cause skin irritation on prolong skin contact

Eye Contact: May cause eye irritation including stinging, watering, and redness

Medical Conditions Generally Aggravated by Exposure: None, when used as directed

4. FIRST AID MEASURES:

Inhalation: N/A

Ingestion: Seek medical advice immediately

Skin Contact: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if worn. Obtain medical advice

MATERIAL SAFETY DATA SHEET

Volume Conditioner

2

Updated June 19, 2012

5. FIRE FIGHTING MEASURES:

Flammability Classification: Not flammable

Extinguishing Media: Water Fog," Alcohol" Foam, Dry Chemical or CO2

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained breathing apparatus is recommended for fire fighters

6. ACCIDENTAL RELEASE MEASURES:

Spill Response: Scoop and place into suitable container for disposal

7. HANDLING AND STORAGE:

Handling: Handle in accordance with good industrial hygiene and safety practice

Storage: Do not expose to heat. Keep the container closed when not in use

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Engineering Controls: A well ventilated room with adequate air circulation

Skin Protection: The use of gloves to safeguard against long skin contact is considered good practice

Eye Protection: The use of approved eye protection to safeguard against potential eye contact is considered good practice

Respiratory Protection: If used with adequate ventilation, no protective equipment is necessary

Other Protective Equipment: A source of clean water should be available in the work area for flushing eyes and skin

9. PHYSICAL AND CHEMICAL PROPERTIES:

COLOR: Off White

ODOR: Fresh Ocean

APPEARANCE: Viscous Lotion

PH: 5.5 – 6.5

10. STABILITY AND REACTIVITY:

Stability: Stable under ordinary conditions of use and storage

Hazardous Polymerization: Not established

Incompatible (Materials to avoid): Not established

Decomposition Products: Not established

MATERIAL SAFETY DATA SHEET
Volume Conditioner

3

Updated June 19, 2012

11. TOXICOLOGICAL INFORMATION:

Not established

12. DISPOSAL CONSIDERATIONS:

For small amount, discard as ordinary trash

For large quantity, dispose in accordance with local or national regulations

13. TRANSPORTATION INFORMATION:

Not regulated

14. OTHER INFORMATION:

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

MATERIAL SAFETY DATA SHEET

Volume Shampoo

1

Updated June 19, 2012

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

Product Name: Volume Shampoo
Product Use: Personal Care/Use - Cosmetics

Manufactured by: **Trademark Cosmetics, Inc.**
545 Columbia Ave.,
Riverside, CA 92507
Phone (951) 683-2631
Fax (951) 683-2680
Emergency (Chemtrec) 800-424-9300

Distributed by: **Brazilian Blowout**
6855 Tujunga Ave.
North Hollywood, CA 91605
Phone (877) 779-7706
Fax (818) 623-2309
Emergency (Chemtrec) (800) 424-3887

2. COMPOSITION / INFORMATION ON INGREDIENTS:

<u>Chemical Composition</u>	<u>CAS Number</u>	<u>Percentage</u>
Water	7732-18-5	30 – 100%
Sodium Lauroyl Methyl Isethionate	928663-45-0	3 – 10%
Sodium Methyl Cocoyl Taurate	61791-42-2	3 – 10%
Cocamidopropyl Betaine	0061789-40-0	1 – 3%
Sodium Cocoyl Isethionat	61789-32-0	1 – 3%
Polysorbate 20	9005-64-5	1 – 3%

3. HAZARD IDENTIFICATION:

EMERGENCY OVERVIEW – No particular hazards known

Potential Health Effects

Inhalation: Not likely to occur under normal conditions of use

Ingestion: Not established

Skin Contact: May cause skin irritation on prolong skin contact

Eye Contact: May cause eye irritation including stinging, watering, and redness

Medical Conditions Generally Aggravated by Exposure: None, when used as directed

4. FIRST AID MEASURES:

Inhalation: N/A

Ingestion: Seek medical advice immediately

Skin Contact: Remove contaminated clothes. Wash the affected area with plenty of water. Get medical attention if irritation develops

MATERIAL SAFETY DATA SHEET

Volume Shampoo

2

Updated June 19, 2012

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if worn. Obtain medical advice

5. FIRE FIGHTING MEASURES:

Flammability Classification: Not flammable

Extinguishing Media: Water Fog," Alcohol" Foam, Dry Chemical or CO2

Fire or Explosion Hazards: Non known

Fire Fighting Procedure: The use of self-contained breathing apparatus is recommended for fire fighters

6. ACCIDENTAL RELEASE MEASURES:

Spill Response: Scoop and place into suitable container for disposal

7. HANDLING AND STORAGE:

Handling: Handle in accordance with good industrial hygiene and safety practice

Storage: Do not expose to heat. Keep the container closed when not in use

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Engineering Controls: A well ventilated room with adequate air circulation

Skin Protection: The use of gloves to safeguard against long skin contact is considered good practice

Eye Protection: The use of approved eye protection to safeguard against potential eye contact is considered good practice

Respiratory Protection: If used with adequate ventilation, no protective equipment is necessary

Other Protective Equipment: A source of clean water should be available in the work area for flushing eyes and skin

9. PHYSICAL AND CHEMICAL PROPERTIES:

COLOR: Colorless To Light Yellow

ODOR: Fresh Ocean

APPEARANCE: Semi Viscous Gel, Pearlized

PH: 5.8 – 6.5

10. STABILITY AND REACTIVITY:

Stability: Stable under ordinary conditions of use and storage

Hazardous Polymerization: Not established

Incompatible (Materials to avoid): Not established

Decomposition Products: Not established

MATERIAL SAFETY DATA SHEET
Volume Shampoo

3

Updated June 19, 2012

11. TOXICOLOGICAL INFORMATION:

Not established

12. DISPOSAL CONSIDERATIONS:

For small amount, discard as ordinary trash
For large quantity, dispose in accordance with local or national regulations

13. TRANSPORTATION INFORMATION:

Not regulated

14. OTHER INFORMATION:

Additional information on this product may be obtained by calling Trademark Cosmetics Laboratories, Inc

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding it's correctness or accuracy. It is the implied, regarding it's correctness or accuracy. It is the user's responsibility to determine safe conditions for use and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

Materials Safety Data Sheet

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

- **Finished Product Name:** Brazilian Blowout Zero +
- **Formula:** OSDM 12 Rev. 2
- **Product Use:** Professional Use Only

- **Company Identification:** Brazilian Blowout
6855 Tujunga Ave.
North Hollywood, CA 91605

Telephone Number for Information: 1-877-779-7706

- **In case of medical emergencies, please contact your local poison control center.**

- **Emergency Telephone Number: CHEMTREC**
1-800-424-9300 (U.S. and Canada)
1-703-527-3887 (International)

- **Date:** January 2012

SECTION 2 – HAZARDOUS IDENTIFICATION

This is a personal care product that is safe for consumers and other users when used as intended. This product is not classified as a hazardous substance. Keep out of reach of children. Use only as directed.

SECTION 3 – COMPOSITION AND INGREDIENTS

The complete ingredient list for the finished product is as follows:

Water (Aqua), Dimethyl Urea, Cetearyl Alcohol, Phenyl Trimethicone, Behentrimonium Methosulfate, Isohexadecane, Bis-Diglyceryl Polyacyladipate-2, Glycerin, Euterpe Oleracea Fruit Extract, Myrciaria Dubia Fruit Extract, Hypnea Musciformis Extract, Gellidiela Acerosa Extract, Sargassum Filipendula Extract, Sodium PCA, Serine, Glycine, Glutamic Acid, Alanine, Lysine, Arginine, Threonine, Proline, Betaine, Sorbitol, Phenoxyethanol, Caprylyl Glycol, Chlorphenesin, Amyl Cinnamal, Coumarin, Fragrance (Parfum), Yellow 5 (CI 19140).

SECTION 4 – FIRST AID MEASURES

- **Eye:** Flush with water for 10 – 15 minutes. If discomfort persists, seek medical attention.
- **Skin Irritation:** Discontinue use of the product and flush with water. If discomfort persists, seek medical attention.
- **Ingestion:** In case of accidental ingestion, drink one or two glasses of water. Induce vomiting. If appreciable quantities are swallowed, seek medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

- **Flash Point:** Not Applicable. This product is not flammable.
- **Extinguishing Media:** Use water spray, chemical foam, dry chemical or carbon dioxide.
- **Explosion Hazards:** None
- **Special Fire Fighting Procedures:** None

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- **Procedures for Spill / Leak Clean-up:** Wear appropriate personal protective equipment (e.g., goggles, gloves). Scoop up. Use absorbent material to pick up any remaining product. Flush and scrub area with hot water and detergent. In the case of a large spill, pump into a suitable tank or drum. Use general waste disposal methods in compliance with Federal, State and Local regulations.

SECTION 7 – HANDLING AND STORAGE

- **Precautions for Safe Handling:** Normal handling consistent with good manufacturing practices. Avoid eye contact. Wear protective gloves.
- **Conditions for Safe Storage:** No unusual storage requirements. Avoid extreme temperatures and store in a cool, well-ventilated area.
- **Other Recommendations:** None

SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

- **Color and Appearance:** Off-white, semi-viscous liquid.
- **Odor:** Vanilla
- **Melting Point:** N/A
- **Boiling Point:** N/A
- **pH:** 5.70 – 6.70
- **Solubility in Water:** Dispersible.
- **Flashpoint:** N/A
- **Vapor Density:** N/A
- **Specific Gravity:** 0.99 – 1.01

SECTION 10 – STABILITY AND REACTIVITY

- **Conditions to Avoid:** Strong oxidizing or reducing agents.
- **Other Recommendations:** None

SECTION 11 – TOXICOLOGICAL INFORMATION

This is a personal care product that is safe for use by consumers under intended and reasonably foreseeable applications.

- **Chronic Effects:** None
- **Target Organs:** None
- **Carcinogenicity:** None

SECTION 12 – ECOLOGICAL INFORMATION

The ingredients contained within this product are projected to be safe for the environment at levels predicted under normal use and accidental spill scenarios. The components used in the packaging of this product comply with conventional solid waste management practices.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal of this product should be in accordance with Federal, State, Provincial and Local regulations.

SECTION 14 – TRANSPORT INFORMATION

- **Ground (DOT):** Non-hazardous
- **Vessel (IMDG):** Non-hazardous
- **Air (IATA):** Non-hazardous

SECTION 15 – ADDITIONAL REGULATORY INFORMATION

This product is considered non-hazardous as defined in 29 CFR 1910.1200 (d).

This product is regulated as a cosmetic under FDA (U.S.), HPB (Canada), Cosmetic Directive (EU) and MHW (Japan).

Fragrances (Parfum) contained within this product comply with appropriate IFRA guidelines.

The product described in this MSDS is regulated under the Federal Food, Drug and Cosmetics Act and is safe per directions on the products container, box, or accompanying literature (where applicable).

Section 16 – OTHER INFORMATION

- **DISCLAIMER:** This MSDS is intended to provide useful information and a brief summary of our knowledge and guidance regarding the proper use of this product.

The information contained within this document is offered in good faith. It is not intended to be an all-inclusive document on worldwide hazard communication regulations.

End of Document

SECTION 4 – FIRST AID MEASURES

- **Eye:** Flush with water for 10 – 15 minutes. If discomfort persists, seek medical attention.
- **Skin Irritation:** Discontinue use of the product and flush with water. If discomfort persists, seek medical attention.
- **Ingestion:** In case of accidental ingestion, drink one or two glasses of water. Induce vomiting. If appreciable quantities are swallowed, seek medical attention.

SECTION 5 – FIRE FIGHTING MEASURES

- **Flash Point:** Not Applicable. This product is not flammable.
- **Extinguishing Media:** Use water spray, chemical foam, dry chemical or carbon dioxide.
- **Explosion Hazards:** None
- **Special Fire Fighting Procedures:** None

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- **Procedures for Spill / Leak Clean-up:** Wear appropriate personal protective equipment (e.g., goggles, gloves). Scoop up. Use absorbent material to pick up any remaining product. Flush and scrub area with hot water and detergent. In the case of a large spill, pump into a suitable tank or drum. Use general waste disposal methods in compliance with Federal, State and Local regulations.

SECTION 7 – HANDLING AND STORAGE

- **Precautions for Safe Handling:** Normal handling consistent with good manufacturing practices. Avoid eye contact. Wear protective gloves.
- **Conditions for Safe Storage:** No unusual storage requirements. Avoid extreme temperatures and store in a cool, well-ventilated area.
- **Other Recommendations:** None

SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseen use.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

- **Color and Appearance:** Clear, liquid
- **Odor:** Fresh
- **pH:** N/A
- **Solubility in Water:** Insoluble.
- **Flash Point:** N/A
- **Vapor Density:** N/A
- **Specific Gravity:** 0.97 – 1.03

SECTION 10 – STABILITY AND REACTIVITY

- **Conditions to Avoid:** Strong oxidizing or reducing agents.
- **Other Recommendations:** None

SECTION 11 – TOXICOLOGICAL INFORMATION

This is a personal care product that is safe for use by consumers under intended and reasonably foreseeable applications.

- **Chronic Effects:** None
- **Target Organs:** None
- **Carcinogenicity:** None

SECTION 12 – ECOLOGICAL INFORMATION

The ingredients contained within this product are projected to be safe for the environment at levels predicted under normal use and accidental spill scenarios. The components used in the packaging of this product comply with conventional solid waste management practices.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal of this product should be in accordance with Federal, State, Provincial and Local regulations.

SECTION 14 – TRANSPORT INFORMATION

- **Ground (DOT):** Non-hazardous
- **Vessel (IMDG):** Non-hazardous
- **Air (IATA):** Non-hazardous

SECTION 15 – ADDITIONAL REGULATORY INFORMATION

This product is considered non-hazardous as defined in 29 CFR 1910.1200 (d).

This product is regulated as a cosmetic under FDA (U.S.), HPB (Canada), Cosmetic Directive (EU) and MHW (Japan).

Fragrances (Parfum) contained within this product comply with appropriate IFRA guidelines.

The product described in this MSDS is regulated under the Federal Food, Drug and Cosmetics Act and is safe per directions on the products container, box, or accompanying literature (where applicable).

Section 16 – OTHER INFORMATION

- **DISCLAIMER:** This MSDS is intended to provide useful information and a brief summary of our knowledge and guidance regarding the proper use of this product.

The information contained within this document is offered in good faith. It is not intended to be an all-inclusive document on worldwide hazard communication regulations.

End of Document